

EN779 + Sony IMX326

Max Resolution 1440P@30FPS

4MP 2.7-13.5 Motorized Lens

36pcs IR ϕ 5 LEDs / Max 35m IR Range

WDR + HDR,D-Zoom

3D-DNR,Sense-up,AGC,BLC,HLC,DIS



Model	ELEN DE4
Image Sensor	1/2.9" Progressive Scan CMOS IMX326
Signal System	PAL / NTSC(switchable via OSD)
Effective Pixels	2688(H)x1520(V)Approx 4.08MP
Min. Illumination	0.01Lux@(F1.2, ADC ON), 0Lux with IR
Electric Shutter	PAL: 1/50~1/100,000s / NTSC: 1/60~1/100,000s
Lens	4 MP 2.7-13.5mm Motorized lens
Output	4 in 1 (TVI / CVI / AHD/ CVBS) AHD Default
IR Leds	IR distance 35M with 36pcs ϕ 5 LEDs
Day/Night	HD ICR
Synchronization	Inner-Sync
Frame Rate	4MP@25/30fps,1080P@25/30fps, 720P@25/30/50/60fps
Signal Output	AHD,TVI,CVI,CVBS
Real WDR	\geq 120dB
S/N Rate	\geq 62dB
Camera ID	OFF / ON (0-9 / A-Z options, position selectable)
3D-DNR	OFF / LOW / MIDDLE / HIGH
Sens-up	OFF / 2X~8X
AGC	0~20
Day&Night	AUTO / Color / B&W / EXTERN
White Balance	AUTO / AUTOext / Preset / Manual
Privacy Mask	8 Zones
Motion Detection	OFF / ON
Language	CHN / CHN(s) / ENG / KOR
Function	BRIGHTNESS, HLC, SHARPNESS, GAMMA, COLOR GAIN, MIRROR, FLIP, ACE, DEFOG, SHARDING, IMAGE RANGE, MONITOR
Operation	-10~50 $^{\circ}$ C
Storage	-20~60 $^{\circ}$ C
Power Supply	DC12V
Dimension	ϕ 135*85mm(H)
Weight	685g