



| Model | NOVA S |
|------------------------|---|
| Image Sensor | 1/3" SONY IMX 323 CMOS |
| DSP | NVP2441H |
| Effective Pixels | PAL:1080P(1920*1080)@25fps NSTC:1080P(1920*1080)@30fps |
| Signal System | PAL/NSTC |
| Minimum Illumination | 0.01 Lux/F1.2 |
| S/N Ratio | ≥50dB |
| Electronic Shutter | 1/25~1/50,000s,1/30s~1/60,000s |
| Video Output | 1 CH Video Output,Support AHD,CVI,TVI,CVBS(4in1) |
| White Balance | AWB/Auto |
| Backlight Compensation | OFF/HSBLC/BLC |
| AGC | Auto |
| Day/Night | Auto/Color/Exit/B/W |
| NR | 2-DNR,3D-DNR |
| D-WDR | ON/OFF |
| Motion/privacy | ON/OFF |
| Lens | 3.6mm |
| IR leds | F5 x 36pcs |
| IR distance | 30m |
| Transmission Distance | up to 300m via75-3 coaxial cable |
| Waterproof | IP 66 |
| Power Supply | DC12V±10% |
| Operating Temperature | -10℃ ~ +60℃ RH95% Max(no condensation) |